


格克萊克保留所有權利。未經授權嚴禁复制，
使用以及向第三方泄漏。

All rights reserved. Unauthorized reproduction, use
or disclosure to third parties is strictly forbidden.




Cutout Detail

Frame: COMSEAL 16 FRAME ASSEMBLY Solution: 1

Item	Qty	Roxtec Packing Material		mm [°]	Roxtec Art No	Weight	Kg [lb]
Responsible	Created Date		Modify Date		Project	TotWeight	
yube	2020-08-28		2020-08-28		台灣大哥大	0.9	
		Format			Location/ Sublocation	[1.87]	Sheet No
			NTS		Transit name		
		Client			comseal 16	1/3	
					Drawing number	Rev	

格克萊克保留所有權利。未經授權嚴禁复制，
使用以及向第三方泄漏。

All rights reserved. Unauthorized reproduction, use
or disclosure to third parties is strictly forbidden.



MODULE WITH PIPE



MODULE WITH CABLE



SPARE MODULE



SOLID MODULE

Detail Drawing

Solution: 1

1	1	COMSEAL 16 FRAME ASSEMBLY			105311	0.9 [1.87]
Item	Qty	Roxtec Packing Material			mm ["] Roxtec Art No	Weight Kg [lb]
Responsible		Created Date		Modify Date	Project	Total Weight
yube		2020-08-28		2020-08-28	台灣大哥大	0.9
		Format		Location/ Sublocation		Sheet No
		NTS		Transit name		2/3
				comseal 16		
				Client		
				Drawing number		Rev




洛克塞克保留所有权利。未经授权复制、使用以及向第三方泄露。





All rights reserved. Unauthorized reproduction, use or disclosure to third parties is strictly forbidden.

A1

A1



Pos	Cable ID	Name	Cable Type	Cable Category	OD (mm) [T]	Module Type
 MODULE WITH PIPE  MODULE WITH CABLE  SPARE MODULE  SOLID MODULE Responsible yube Created Date 2020-08-28 Modify Date 2020-08-28 Project 台灣大哥大 Location/ Sublocation TotWeight 0.9 [1.87] Format NTS Transit name comseal 16 Sheet No 3/3 Client Drawing number Rev 						



8	8	NUT	M6M M5 FE/Z-Ni Black	
7	8	WASHER	RB M5 ISO 7089 Z-Ni Black	
6	8	SCREW	M6SF-M5X20-TT NYSEAL	
5	1	INSTALLATION INSTR.		
4	1	ASSEMBLY GEL	-	
3	2	CM20w40	0+3.5-16.5	
2	3	CM 40 10-32	0+9.5-32.5	
1	1	COMSEAL 16 FRAME	POWDERCOATED ALUMINUM	
Item	Qty	Designation	Specification	Net Weight
ROXTEC INTERNATIONAL AB		Designed by	Date	General tolerances
BOX 540 S-371 23 Karlavästra		se-jenboh	2008-03-05	EN ISO 1101-1:2004
TEL: +46 455 366700 FAX: +46 455 82012		Checked by	Format	EN ISO 1101-2:2004
		Approved by	A3	EN ISO 1101-3:2004
		se-jorake	Scale	EN ISO 1101-4:2004
		Restricted due to	1:1	General surface roughness, Ra 0.5
		Information Drawing	Title	
			COMSEAL 16/7	
			ASSEMBLY KIT	
			Drawing number	
			S1013362	
			Rev	
			C	

C	CHANGE TO INSTALLATION INSTRUCTION	2012-03-22	se-henols
Rev	Type of revision	Date	Sign